Asthma Action Plan

Nome	OP.	Asthma Triggers Try to stay away from or control these things:
Name:D		☐ Exercise ☐ Smoke, strong odors or spray
Doctor: Date:		☐ Mold ☐ Colds/Respiratory infections ☐ Chalk dust/dust ☐ Carpet
Phone for Doctor or Clinic:		☐ Chalk dust/dust ☐ Carpet☐ Pollen☐ Change in temperature☐
		□ Animals □ Dust mites
Predicted/Personal Best Peak Flow Reading:		□ Tobacco smoke □ Cockroaches □ Food □ Other
Use these controller medicines grown day to keep you in the groon govern		
1. Green – Go	OSC these controller in	concines every may to keep you in the green zone.
Breathing is good.	Medicine: How m	when to take it: □ Home
No cough or wheeze.		□ School
• Can work and play.		
E Land		
Or Peak Flow to (80-100%)	5-15 minutes before ver	y active exercise, use Albuterolpuffs.
2. Yellow – Caution	Keep using controller g	reen zone medicines everyday.
Zi Tellovi Caucion	Add these medicines to	keep an asthma attack from getting bad:
(5)	Medicine Medicines	How much to take When to take it
	Albuterol	□ 2 puffs by inhaler □ May repeat every
	or	☐ 4 puffs by inhaler 20 min up to 3 doses in first hour, if needed
Coughing Wheezing		 □ with spacer, if available in first hour, if needed □ by nebulizer
		mprove after first hour of treatment, then go to red zone.
	If symptoms DO improv Albuterol	ve after first hour of treatment, then continue: □ 2 puffs by inhaler □ Every 4 - 8 hours
Title Classical Annual Classical Cla	or	☐ 2 puffs by inhaler ☐ Every 4 - 8 hours ☐ 4 puffs by inhaler for days
Tight Chest Wakes up at night	ART SECTION SECTION CONTRACTOR CO	□ with spacer, if available
Or Peak Flow to (50-80%)		□ by nebulizer
		,times a day for days Home
	(oral corticosteroi	d) (how much) □ School
	Call your doctor if still	having some symptoms for more than 24 hours!
Call your doctor if still having some symptoms for more than 24 hours! Call your doctor and/or parent/guardian NOW!		
3. Red – Stop – Danger		ntil you talk with a doctor or parent/guardian:
Medicine is not helping.	Medicine:	How much to take: When to take it:
Breathing is hard and fast.	Albuterol	□ 2 puffs by inhaler □ May repeat every
Nose opens wide.	or	□ 4 puffs by inhaler 20 minutes until
• Can't walk.		□ with spacer, if available you get help □ by nebulizer
• Ribs show.		, times a day for days Home
Can't talk well.	(oral corticosteroid)	(how much)
WIT .	Call 911 for sovere sum	ptoms, if symptoms don't improve, or you can't reach your doctor
Or Peak Flow (Less than 50%)	and/or parent/guardian	
Physician Signature	Date	Phone
WHITE – PATIENT		

Provided by Community Care of N.C., N.C. Asthma Program, and Asthma Alliance of N.C.

10/08